

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2635	(plurality or multiple) with (state\$2 or mode\$2) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:58
L2	136931	volatile with non?volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:58
L3	5	l1 with l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:59
L4	1622	database with volatile with non?volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:00
L5	3	l4 same (plurality or multiple or dual) with states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:01
L6	77	l1 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:01
S1	4159	709/201	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29
S2	1566	709/205	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29

S3	3877	709/218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29
S4	3338	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29
S5	2186	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29
S6	1899	709/249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:29
S7	11953	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:30
S8	13223	S1 or S2 or S3 or S4 or S5 or S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:30
S9	7412	((self or distribut\$4 or automatic) with (configur\$ or reconfigur\$ or updat\$) with (database\$2 or storage\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:34
S10	481	S8 and ((self or distribut\$3 or automatic) with (configur\$ or reconfigur\$ or updat\$) with (database\$2 or storage\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:34

S11	31	S8 and ((self or distribut\$3 or automatic) with (configur\$ or reconfigur\$ or updat\$) with (database\$2 or storage\$4)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:34
S12	368	((self or distribut\$4 or automatic) with (configur\$ or reconfigur\$ or updat\$) with (database\$2 or storage\$4)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:40
S13	5	S12 and "709"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:36
S14	29	S11 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:36
S15	57	((self or distribut\$4 or automatic) with network with (configur\$ or reconfigur\$ or updat\$) with (database\$2 or storage\$4) ).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:41
S16	56	S15 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:52
S17	2342	(self or automatic) with configur\$ with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:53
S18	50	S17 with peer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:09

S19	9	peer with node\$2 with (self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:10
S20	10	(peer or dual) with node\$2 with (self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:29
S21	47	(redundent or duplicate) with (configur\$ or reconfigur\$ or updat\$) with network with (node\$2 or device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:35
S22	47	S21 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:31
S23	923	(self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network with (node\$2 or device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:39
S24	225	(self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network with (node\$2 or device\$2). ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:36
S25	6	(self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network with (node\$2 or device\$2) with (duplicate or redundant or cop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:38
S26	112	(self or automatic) with (configur\$ or reconfigur\$ or updat\$) with network with (node\$2 or device\$2) with (database\$2 or storage\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:40

S27	111	S26 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:43
S28	360	distributed near3 network adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:44
S29	8	(distributed near3 network adj management) with database\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:44
S30	79	(distributed near3 network adj management).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:44
S31	28	S30 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:52
S32	2	"5586254".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:17
S33	6032	benson.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:19
S34	7	vasamsetti.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:19

S35	2	"6026090".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:20
S36	2	"5953341".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:22
S37	2	"6108699".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:31
S38	766	network adj nodes near5 (databases or storage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:32
S39	46	network adj nodes near5 (configuration or reconfiguration or update) near5 (databases or storage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:32